



PROSKIRTING LINE






PROSKIRTING LINE is an aluminium skirting board profile designed to be recessed into low thickness plaster finishes such as "marmorino" and "stucco veneziano" applied over plaster and plasterboard walls. The profile, after laying, thanks to its design, is perfectly aligned with the wall ensuring a modern and elegant design.

MATERIAL

profile in anodized silver aluminium. The profile is composed of a vertical part with an height of 61 mm and an horizontal one, at the top of the profile, with a width of 2.5 mm. The vertical part is equipped in the back with a knurled surface that guarantees its adhesion with silicone. The top of the profile, after laying, in perfectly recessed in the wall. **PROSKIRTING LINE**, thanks to its particular geometry, ensures a modern and elegant design.

AREAS OF USE

PROSKIRTING LINE in aluminium is suitable for every indoors environment.



WARNINGS


Do not use **PROSKIRTING LINE** in aluminium outdoors and in environments where aggressive substances are used.


MAINTENANCE

PROSKIRTING LINE does not require any special maintenance; it is suggested to clean it with normal household cleaning products.

LAYING INSTRUCTIONS

- 1. Cut "**PROSKIRTING LINE**" to the desired length.
- 2. Fix "**PROSKIRTING LINE**" on the support with silicone.
- 3. Apply the desired finish.
- 4. Remove immediately any remains of material from the surface of the profile.





TEXT TEMPLATE FOR TENDERS

Delivery and installation of skirting board profile in anodized silver aluminium. The profile is composed of a vertical part with an height of 61 mm and an horizontal one, at the top of the profile, with a width of 2.5 mm. The vertical part is equipped in the back with a knurled surface that guarantees its adhesion with silicone. The top of the profile, after laying, in perfectly recessed in the wall, like PROSKIRTING LINE of the Progress Profiles company.

PKLIAA 60: Anodized silver aluminium.

nm
mt
mt
mt
mt

