


PROSLIDER WOOD

NATURAL OAK
WITH ALUMINIUM BASE

PROSLIDER WOOD is a sloping terminal transition profile in real natural oak with glued-on, punched aluminium base, designed to join different height floors in a perfect, stepless way. This particularly sturdy profile withstands and supports high loads and frequent passage of manual trolleys and vehicles in addition to protecting the edge of the higher floor. Available in various heights to accommodate all differences in level.




NATURAL OAK with ALUMINIUM BASE
bar length 2,7 lm - pack. 10 Pcs - 27 lm

| Article | H mm | | |
|----------|------|--|--|
| PDWR 10 | 10 | | |
| PDWR 125 | 12,5 | | |
| PDWR 15 | 15 | | |

NATURAL OAK with ALUMINIUM BASE
bar length 1,35 lm - pack. 20 Pcs - 27 lm

| Article | H mm | | |
|------------|------|--|---|
| PDWR 1013 | 10 | | * |
| PDWR 12513 | 12,5 | | * |
| PDWR 1513 | 15 | | * |


EXAMPLES OF LAYING



INSTRUCTIONS FOR LAYING

1. Choose the "PROSLIDER WOOD" with the required height. 2. Apply the adhesive onto the area of application of the profile. 3. Lay and align the profile pressing the perforated flange into the adhesive. 4. Align it "flush" with the floor/covering. 5. Use the adhesive to seal any empty interstices.

COLOURS



Natural oak

