

**PROSKIRTING LED** is an innovative patented baseboard called "cable duct" in anodized aluminium, with illumination led system incorporated. Conceived and designed to illuminate the passage zone such as corridors and house and office entrances as well. It generates soft and indirect light. Moreover, it solves many other problems such as the laying of the baseboard itself, the passage of the electric cables, the ones for PC, telephone and other plants as well. **PROSKIRTING LED** has been designed with double function and utility: 1- **PROSKIRTING LED** complete PKLEDAA 80 is an inspectional joint baseboard composed of PKGS 66 support for fixing it with screws on the wall and the **PROSKIRTING LED** PKLEDAA 80 at sight profile. 2- **PROSKIRTING LED** PKLEDAA 80 is a at sight baseboard profile to be fixed directly with silicone/ adhesive. It is not an inspectional one like **PROSKIRTING LED** complete, and is available also in auto adhesive version (PKLEDAA 80A).

# PROSKIRTING LED

ANODIZED SILVER ALUMINIUM WITH LED AND POWER SUPPLY BOX



**SKIRTING BOARD IN ANOD. SILVER ALU. WITHOUT ADHESIVE. ADAPTOR LED, LED & FLAT NOT INCLUDED (indicate the article) thermo packed - bar length 2 lm - pack. 10 Pcs - 20 lm**

Article	H mm
PKLEDAA 80	80

**SKIRTING BOARD IN ANOD. SILVER ALUM. WITH ADHESIVE, ADAPTOR LED, LED & FLAT NOT INCLUDED (indicate the article) thermo packed - bar length 2 lm - pack. 10 Pcs - 20 lm**

Article	H mm
PKLEDAA 80A	80

Please, specify in your order the code of the FLAT you choose : matt or gloss. Eg.: PKLEDAA 80 + PKGPAL



**POLYCARBONATE FLAT - bar length 2 lm**


Article
PKGPAL
PKGPIAO

**ADHESIVE FLEXIBLE LED COIL**

length 5 lm - pack. 1 ROLL

Article
LEDN
LEDF
LEDC

"N" at the end of the product code = neutral light  
 "F" at the end of the product code = cold light  
 "C" at the end of the product code = hot light



**POWER SUPPLY BOX**  
 SOCKET with FASTENING BASIS

Article
SPA 1820

**LED POWER SUPPLY 75W - 12V**

Article
ALL 7512



**CABLE RACEWAY/ SUPPORT- COEXTRUDED PVC**  
 bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm
CSPPK 80	70


**PUNCHED SUPPORT - NATURAL ALUMINIUM**  
 support length 2 cm - pack. 10 Pcs

Article	H mm
PKGS 66	66

ARTICLES NOT FOR SALE SINGLY




**COLOURS**




On demand may be realised in other finishes of the colour chart. Contact our customer service for minimum quantity, timing and price.

AA - Anodized silver alum.



**SWITCH BOX**  
 with BOX BASIS

Article
SI 1410



**JUNCTION BOX**  
 with FASTENING BASIS


Article
SD 1210




**VERTICAL CABLE DUCT PROFILE**  
 bar length 2,7 lm

Article
PSPV

It matches with CSPPK 80.



**EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS**



1. Fix the support on the wall putting the screws and plugs every 50 cm (recommended). Make a test with "PROSKIRTING LED" in order to value the height and the correct position of supports.
2. Fix in the chosen spaces the socket/ power supply box basis, switch box basis and, eventually, the junction box.
3. Connect 220V supply to power/ transformer unit, and afterwards, connect the "PROSKIRTING LED" bar next to power unit.
4. Connect the pre-applied led bars inside the "PROSKIRTING LED" with the supplied cables/ wires in continuous way.
5. The power supply unit guarantees about 15 lm of led illumination, beyond that distance it is necessary to add another power supply box/socket.

When fixing without support, clean the surface carefully so that it's dry and with no grass trace, apply the silicone on the knurled sides of the profile and lay down correctly, pressing uniformly and with no hammering. For the application of "PROSKIRTING LED" with adhesive, we recommend the temperature not below 15°.

## CORNERS, END CAPS and JOINTS


VARNISHED PLASTIC SILVER FINISH




PKAGI 80  
 internal corner



PKAGI 80  
 external corner



PKGIN 80  
 joint



PKTDSAA 80/5  
 end caps

**IN/EXTERNAL CORNER - VARNISHED PLASTIC (SILVER FIN.)**  
 pack. 5 Pcs

Article	H x L mm
PKAGI 80/5	80 X 40
PKAGE 80/5	80 X 40

**JOINTS - VARNISHED PLASTIC (SILVER FIN.) - pack. 10 Pcs**

Article	H mm
PKGIN 80/10	80

**END CAPS R / L - VARNISHED PLASTIC (SILVER FIN.)**  
 pack. 10 Pcs (5 right and 5 left)

Article	H mm
PKTDSAA 80/5	80



\* = Production on demand with minimum quantity of 100 Pcs. Production delay 4/5 weeks. Price to be agreed