





FLAT - ALUMINIUM





Pl... 152C Pl... 152C Pl... 252C Pl... 252C Pl... 252C Pl... 252C Pl... 302C Pl... 402C scala 1:1

DESCRIPTION

FLAT is flat aluminium profile. Its particular section and the availability in four finishes, make it a profile that can be easily matched with any kind of material.

MATERIAL

FLAT is a flat profile in anodized silver and gold aluminium, polished chrome aluminium and white warnished aluminium. The profile is available in the width of 10 - 12 - 15 - 20 - 25 - 30 and 40 mm. The availability in four different finishes and six widths make it a much sougth after profile.

AREAS OF USE

FLAT in anodized aluminium is suitable for indoors environment where good resistance to mechanical and chemical stresses are required.

WARNINGS

Do not use **FLAT** in anodized aluminium outdoors and in environments where aggressive substances are used. Clean immediately the surface of the profile from all remains of adhesive or grout after laying; the permanence of these substances on the surface may lead to formation of non-removable aluminium hydroxide (dark halos).

MAINTENANCE

FLAT does not require any special maintenance. It is suggested to clean it with normal household cleaning products.

LAYING INSTRUCTIONS

- 1. Choose **"FLAT"** according to the desired finish.
- 2. Cut "FLAT" to the desired length.
- 3. Remove carefully any remains of oil, fat and dirt from the surface where the profile will be laid.
- 4. When the surface is perfectly dry, remove the protective film.
- 5. Press the profile evenly until it is completely adherent to the wall.

TEXT TEMPLATE FOR TENDERS

Delivery and installation of flat profile in anodized silver - gold - polished chrome aluminium and white warnished aluminium. With a width of 10 - 12 - 15 - 20 - 25 - 30 and 40 mm, like FLAT of the Progress Profiles company.

PI... 102/122/152/202/252/302/402C: Aluminium flat

Profile height :	mr
Profile length:	m
Material:	€/mi
Application :	€/mi
Total value:	€/m

